ELSEVIER

Journal of Statistical Planning
Inference 46 (1995) 395–396

journal of
statistical planning
and inference

Author Index Volume 46 (1995)*

Altman, N. and Léger, Bandwidth selection for kernel distribution function estimation (2) 195–214
Berliner, L.M., *see* S.N. MacEachern (3) 277–292
Bhattacharyya, G.K., *see* A. Sen (1) 59– 76
Bose, S. and E. Slud, Maximin efficiency-robust tests and some extensions (1) 105–121
Cano, J.A., *see* E. Moreno (3) 325–334
Chan, N.N., On a downdating formula for regression (3) 347–350
Chauveau, D., A stochastic EM algorithm for mixtures with censored data (1) 1– 25
Chen, Z., Robustness of the half-space median (2) 175–181
Datta, S., A minimax optimal estimator for continuous monotone densities (2) 183–193
Faraggi, D. and R. Simon, The maximum likelihood neural network as a statistical classification model (1) 93–104
Giudici, P., Bayes factors for zero partial covariances (2) 161–174
Hadi, A.S., W.D. Jones and R.F. Ling, A unifying representation of some case-deletion influence measures in univariate and multivariate linear regression (1) 123–135
Hainsworth, T.J., *see* J.T. Kent (2) 147–159
Holland, B., *see* D.M. Rom (3) 265–275
Horváth, L., Kac's representation from an asymptotic viewpoint (1) 27– 45
Huang, D.-Y. and R.F. Lee, Selecting the largest capability index from several quality control processes (3) 335–346
Huang, S.-Y., Empirical Bayes testing procedures in some nonexponential families using asymmetric Linex loss function (3) 293–309
Jacob, P. and C. Suquet, Estimating the edge of a Poisson process by orthogonal series (2) 215–234
Jeong, Y., Optimal designs for experiments with a large number of factors (3) 381–393
Jones, W.D., *see* A.S. Hadi (1) 123–135
Kent, J.T. and T.J. Hainsworth, Confidence intervals for the noncentral chi-squared distribution (2) 147–159
Kirmani, S.N.U.A., *see* S.C. Kochar (1) 47– 57
Kochar, S.C. and S.N.U.A. Kirmani, Some results on normalized spacings from restricted families of distributions (1) 47– 57
Lavine, M. and A. Mockus, A nonparametric Bayes method for isotonic regression (2) 235–248
Léger, C., *see* N. Altman (2) 195–214
Lee, R.F., *see* D.-Y. Huang (3) 335–346
Li, Y. and K.M.L. Saxena, Optimal robust Bayes estimation (3) 365–380
Ling, R.F., *see* A.S. Hadi (1) 123–135
MacEachern S.N. and L.M. Berliner, Asymptotic inference for dynamical systems observed with error (3) 277–292
Mockus, A., *see* M. Lavine (2) 235–248
Moreno, E. and J.A. Cano, Classes of bidimensional priors specified on a collection of sets: Bayesian (3) 325–334

*The issue number is given in front of page numbers

Elsevier Science B.V.

Mukerjee, R., *see* C.R. Rao (2) 137–146
Nandram, B., *see* M.M. Rashid (2) 249–263
Purkayastha, S., An almost sure representation of sample circular median (1) 77– 91
Rao, C.R. and R. Mukerjee, Comparison of Bartlett-type adjustments for the efficient score statistic (2) 137–146
Rashid, M.M. and B. Nandram, A rank-based analysis of one-way repeated measures designs with a changing covariate (2) 249–263
Rom, D.M. and B. Holland, A new closed multiple testing procedure for hierarchical families of hypotheses (3) 265–275
Ruggeri, F. and L. Wasserman, Density based classes of priors: Infinitesimal properties and approximations (3) 311–324
Saxena, K.M.L., *see* Y. Li (3) 365–380
Sen, A. and G.K., Bhattacharyya, Inference procedures for the linear failure rate model (1) 59– 76
Simon, R., *see* D. Faraggi (1) 93–104
Slud, E., *see* S. Bose (1) 105–121
Suquel. C., *see* P. Jacob (2) 215–234
Wasserman, L., *see* F. Ruggeri (3) 311–324
Yang, S., Koul-DeWet-type estimation in censored regression using the conditional empirical process (3) 351–363